

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 0 | broker near10 brokerless | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 06:31 |
| L2 | 8 | broker same brokerless | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 06:43 |
| L3 | 1 | "5,870,605".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 06:38 |
| L4 | 35 | broker same (without "does not" "with out") adj broker | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 06:45 |
| L5 | 33 | 4 not 2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 06:57 |
| L6 | 14 | (static\$4 and dynamic\$4) near (proxy or proxies) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 07:00 |
| L7 | 1 | 6 and (one-to-one or one adj to adj one) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 07:22 |
| L8 | 1 | "20030105883".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 08:21 |
| L9 | 1 | "20020143641".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/06/12 08:21 |
| S1 | 1 | "20030105883".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 12:18 |
| S2 | 7 | (java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 12:31 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S3 | 1932 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 20:07 |
| S4 | 3 | microsoft adj ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 14:01 |
| S5 | 299 | ".net" remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 14:02 |
| S6 | 1932 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 14:13 |
| S7 | 12 | ?net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 14:14 |
| S8 | 5 | net adj remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 14:14 |
| S9 | 270 | ((one adj2 one) near2 map\$4) and prox\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 14:52 |
| S10 | 33 | ((one adj2 one) near2 map\$4) near5 (class\$2 interface?) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 14:53 |
| S11 | 272 | 717/138-139.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:38 |
| S12 | 529747 | ".net" remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:38 |
| S13 | 299 | remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:38 |
| S14 | 62 | remoting and net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:39 |

EAST Search History

| | | | | | | |
|-----|------|--|---|-----|----|------------------|
| S15 | 49 | net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:44 |
| S16 | 24 | (net adj remot\$3) and map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:44 |
| S17 | 3585 | (one adj2 one) near2 map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:45 |
| S18 | 1 | (net adj remot\$3) and ((one adj2 one) near2 map\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 19:45 |
| S19 | 662 | (719/313 719/330).ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2004/08/05 20:07 |
| S50 | 2495 | (creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/04/15 12:15 |
| S52 | 1 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/04/15 12:17 |
| S53 | 32 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/04/15 12:17 |
| S54 | 1 | "20030105883".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S55 | 7 | (java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S56 | 2162 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S57 | 3 | microsoft adj ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S58 | 366 | ".net" remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S59 | 2162 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S60 | 12 | ?net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S61 | 14 | net adj remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S62 | 342 | ((one adj2 one) near2 map\$4) and prox\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S63 | 40 | ((one adj2 one) near2 map\$4) near5 (class\$2 interface?) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S64 | 328 | 717/138-139.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S65 | 578022 | ".net" remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S66 | 366 | remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S67 | 96 | remoting and net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S68 | 62 | net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S69 | 31 | (net adj remot\$3) and map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |

EAST Search History

| | | | | | | |
|-----|------|--|---|-----|----|------------------|
| S70 | 4127 | (one adj2 one) near2 map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S71 | 1 | (net adj remot\$3) and ((one adj2 one) near2 map\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S72 | 757 | (719/313 719/330).ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S73 | 2495 | (creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/04/18 10:27 |
| S74 | 1 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/04/18 10:27 |
| S75 | 32 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/04/18 10:27 |
| S76 | 1 | "20030105883".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S77 | 7 | (java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S78 | 2333 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S79 | 3 | microsoft adj ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S80 | 421 | ".net" remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S81 | 2333 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S82 | 13 | ?net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S83 | 20 | net adj remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S84 | 370 | ((one adj2 one) near2 map\$4) and prox\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S85 | 43 | ((one adj2 one) near2 map\$4) near5 (class\$2 interface?) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S86 | 351 | 717/138-139.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S87 | 607312 | ".net" remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S88 | 421 | remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S89 | 122 | remoting and net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S90 | 70 | net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S91 | 33 | (net adj remot\$3) and map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S92 | 4481 | (one adj2 one) near2 map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S93 | 1 | (net adj remot\$3) and ((one adj2 one) near2 map\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |

EAST Search History

| | | | | | | |
|----------|--------|--|---|-----|----|------------------|
| S94 | 825 | (719/313 719/330).ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S95 | 2777 | (creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/09/14 14:00 |
| S96 | 1 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/09/14 14:00 |
| S97 | 34 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/09/14 14:00 |
| S98 | 2333 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S99 | 421 | ".net" remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S10 0 | 2333 | ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S10 1 | 607312 | ".net" remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S10 2 | 421 | remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S10 3 | 4481 | (one adj2 one) near2 map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S10 4 | 2777 | (creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/09/14 14:00 |
| S10 5 | 1 | "20030105883".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|-----|----|------------------|
| S10 6 | 1 | (net adj remot\$3) and ((one adj2 one) near2 map\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S10 7 | 1 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/09/14 14:00 |
| S10 8 | 7 | (java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S10 9 | 3 | microsoft adj ?net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 0 | 13 | ?net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 1 | 20 | net adj remoting | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 2 | 43 | ((one adj2 one) near2 map\$4) near5 (class\$2 interface?) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 3 | 122 | remoting and net | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 4 | 70 | net adj remot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 5 | 33 | (net adj remot\$3) and map\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 6 | 34 | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/09/14 14:00 |
| S11 7 | 370 | ((one adj2 one) near2 map\$4) and prox\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |

EAST Search History

| | | | | | | |
|----------|-----|-------------------------|---|-----|----|------------------|
| S11 8 | 351 | 717/138-139.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S11 9 | 825 | (719/313 719/330).ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/09/14 14:00 |
| S12 0 | 1 | "20020143641".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ADJ | ON | 2005/09/22 15:22 |